

CH 151 Problem Set #1 - Chapter 1 & 2

- * **Complete problem set on separate pieces of paper** showing all work, circling final answers, etc.
 - * **Section 01:** Self correct problem set during recitation (**June 28, 8 AM**) before turning in to the instructor
 - * **Section W1:** Watch recitation video here: <http://mhchem.org/t/n.htm> Self correct your work while watching
Email problem set (mike.russell@mhcc.edu) by **11:59 PM Wed, June 28**
 - * **Important Tables and/or Constants:** 1 cm³ = 1 mL; k = 10³; c = 10⁻²; m = 10⁻³; μ = 10⁻⁶; n = 10⁻⁹; **273.15**, periodic table (<http://mhchem.org/pertab>)
-

1. Determine the number of significant figures in each of the following measured values:
 - a. 0.1111010
 - b. 0.0000007
 - c. 4000
 - d. 4000.
 - e. 0.0040
 - f. 67,000,100
2. Round off each of the following numbers to the number of significant figures indicated in parentheses.
 - a. 3883 (two)
 - b. 0.00003011 (two)
 - c. 4.4050 (three)
 - d. 2.1000 (three)
3. Carry out the following mathematical operations, expressing your answers to the correct number of significant figures. Assume that all numbers are measured quantities.
 - a. $3.33 \times 3.03 \times 0.0333$
 - b. $300,003 \times 20,000 \times 1.33333$
 - c. $(2.322 + 4.00) / (3.200 + 6.73)$
 - d. $7.403 / (3.220 \times 5.000)$
 - e. $(5600 \times 300) / (22 \times 97.1)$
4. Carry out the following mathematical operations, expressing your answers to the correct number of significant figures. Assume that all numbers are measured quantities.
 - a. $237 + 37 + 7$
 - b. $3.111 + 3.11 + 3.1$
 - c. $235.45 + 37 + 36.4$
 - d. $4.72 - 3.908$
 - e. $46,230 + 325 + 45$
5. Express the following numbers in scientific notation.
 - a. 787.6
 - b. 0.01798
 - c. 40.0
 - d. 675,000
6. Identify the metric prefixes corresponding to each of the following powers of ten, or vice versa.
 - a. 10⁻³
 - b. 10⁻⁹
 - c. 10³
 - d. micro
 - e. centi

Problem Set #1 continues on the next page

Problem Set #1, Continued from previous page

7. Calculate the volume of each of the following objects, each of which has a regular geometrical shape.
 - a. a cube of steel whose edge is 3.5175 mm ($V = s^3$)
 - b. a spherical marble with a radius of 1.212 cm ($V = \frac{4}{3}\pi r^3$)
 - c. a bar of iron 6.0 m long, 0.10 m wide and 0.20 m high ($V = l * w * h$)
 - d. a cylindrical rod of copper with radius = 3.2 mm and length = 62 mm ($V = \pi r^2 L$)
8. A piece of metal weighing 187.6 g is placed in a graduated cylinder containing 225.2 mL of water. The combined volume of solid and liquid is 250.3 mL. What is the volume (in cm^3) and density (in grams per milliliter) of the metal?
9. A pediatric dosage of a certain analgesic is 225 mg/kg of body weight per day. How much analgesic, in milligrams per day, should be administered to a child who weighs 12.3 kg?
10. A 2004 US penny (zinc plated with a thin layer of copper) with a mass of 2.552 g contains 2.448 g of zinc. What is the mass percentage in the penny of copper? of zinc?
11. Carry out the following temperature scale conversions. **$T(\text{K}) = T(^{\circ}\text{C}) + 273.15$**
 - a. Mercury freezes at 234.3 K. What is this temperature in degrees Celsius?
 - b. Normal body temperature for a chickadee is 41.0 $^{\circ}\text{C}$. What is this temperature in Kelvin?
 - c. A recommended temperature setting for household hot water heaters is 60. $^{\circ}\text{C}$. What is this temperature in degrees Fahrenheit? $T(^{\circ}\text{F}) = 1.8 * T(^{\circ}\text{C}) + 32$
12. What should the recorded uncertainty be (± 0.1 unit, ± 0.01 unit, etc.) for measurements made using the following measuring device scales?
 - a. a graduated cylinder scale with markings in 10 mL intervals
 - b. a meter stick scale with markings in 1 cm intervals
 - c. a buret (a volumetric device) scale with markings in 0.1 mL intervals
 - d. a double pan mass balance scale with markings in 100 g intervals
13. With a high grade measuring device, the length of an object is determined to be 13.452 mm. Three students are asked to determine the length of the same object using a lower grade measuring device. How do you evaluate the following work of the three students with regard to accuracy and precision?

<u>Trial</u>	<u>Student A</u>	<u>Student B</u>	<u>Student C</u>
1	13.6 mm	13.4 mm	13.9 mm
2	13.9 mm	13.5 mm	13.9 mm
3	13.3 mm	13.5 mm	14.0 mm
4	13.6 mm	13.4 mm	14.1 mm

14. The accepted value for the normal boiling point of benzaldehyde, a substance used as an almond flavoring, is 178 $^{\circ}\text{C}$. In a laboratory setting, three students are asked to experimentally determine the normal boiling point of benzaldehyde. Their results are:

Student 1: 175 $^{\circ}\text{C}$ *Student 2:* 190 $^{\circ}\text{C}$ *Student 3:* 181 $^{\circ}\text{C}$

Calculate the percent error associated with each student's reported boiling point. *Helpful formula: % error = absolute value |(difference)| / (accepted) * 100%*

Problem Set #1 continues on the next page

Problem Set #1, Continued from previous page

15. The following are properties of the metal beryllium. Classify them as **physical** or **chemical**.
 - a. In powdered form, it burns brilliantly on ignition.
 - b. Bulk metal melts at 1287 °C
 - c. It has a density of 1.85 g/cm³ at 20 °C.
 - d. It is a relatively soft silvery white metal.
16. Consider the following classifications of matter: **heterogeneous mixture**, **homogeneous mixture** and **pure substance**
 - a. In which of these classifications must the composition be constant?
 - b. In which of these classifications is separation into simpler substances using physical means possible?
17. Based on the information given, classify each of the pure substances A through D as **elements** or **compounds**, or indicate that no such classification is possible because of insufficient information.
 - a. Substance A cannot be broken down into simpler substances by chemical means
 - b. Substance B cannot be broken down into simpler substances by physical means
 - c. Substance C readily dissolves in water
 - d. Substance D readily reacts with the element chlorine
18. Indicate whether each of the following statements is **true** or **false**.
 - a. Compounds can be separated into their constituent elements using chemical means.
 - b. Elements can be separated into their constituent compounds using physical means.
 - c. A compound must contain at least two elements.
 - d. A compound is a physical mixture of different elements
19. Give the name of the element associated with each of the following chemical symbols, or vice versa.
 - a. Li
 - b. He
 - c. F
 - d. Zn
 - e. mercury
 - f. chlorine
 - g. gold
 - h. selenium
20. Write the chemical symbol for each member of the following pairs of elements:
 - a. copper and cobalt
 - b. potassium and phosphorus
 - c. iron and iodine
 - d. silicon and silver

This page left blank for printing purposes.